

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product form : Mixture
Trade name : CAFCO[®] SPRAYFILM[®] WB5

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.2.1. Relevant identified uses**

Industrial/Professional use spec : Industrial
Use of the substance/mixture : For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier:

Isolatek International (Europe) Ltd.
17 Wellington Street
Ripley, Derbyshire
DE5 3EH

Manufacturer:

United States Mineral Products Company dba Isolatek International
41 Furnace Street
Stanhope NJ 07874
Toll Free: 1 800 631 9600

1.4. Emergency telephone number

Emergency number : CHEMTREC 1 800 424 9300 (North America), +1 703 527 3887 (International)

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture**

Classification according to Regulation (EC) No. 1272/2008 [CLP]
Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

No labelling applicable

2.3. Other hazards

other hazards which do not result in classification : This product contains greater than 0.1% by weight titanium dioxide. Titanium dioxide inhalation studies in rats indicate that there is sufficient evidence that inhalation of excessive amounts of titanium dioxide is carcinogenic in the lungs of experimental animals. Titanium dioxide is classified as "Group 2B (possibly carcinogenic to humans)" by IARC. Titanium dioxide is in a form that is not available for respiration.

SECTION 3: Composition/information on ingredients**3.1. Substances**

Not applicable

3.2. Mixtures

This mixture does not contain any substances to be mentioned according to the criteria of section 3.2 of REACH annex II

SECTION 4: First aid measures**4.1. Description of first aid measures**

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
First-aid measures after skin contact : If skin irritation or rash occurs: Wash off immediately with soap and plenty of water.

ISOLATEK® Type WB5

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : None known.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Presents no particular fire or explosion hazard. On combustion, forms: carbon oxides (CO and CO₂). Thermal decomposition can lead to the release of irritating gases and vapours.

Explosion hazard : No direct explosion hazard.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protective equipment for firefighters : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Dispose in a safe manner in accordance with local/national regulations.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose in a safe manner in accordance with local/national regulations.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13 : "Disposal considerations".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container closed when not in use. Avoid extreme heat or cold. Store above freezing.

Incompatible materials : None known.

7.3. Specific end use(s)

See Heading 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| | |
|---|-----------------------------|
| Titanium dioxide (13463-67-7) | |
| Austria - Occupational Exposure Limits | |
| Local name | Titandioxid (Alveolarstaub) |
| MAK (mg/m ³) | 5 mg/m ³ |

ISOLATEK® Type WB5

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|--|---|
| Titanium dioxide (13463-67-7) | |
| MAK Short time value (mg/m ³) | 10 mg/m ³ |
| Regulatory reference | BGBI. II Nr. 186/2015 |
| Belgium - Occupational Exposure Limits | |
| Local name | Titane (dioxyde de) # Titaandioxide |
| Limit value (mg/m ³) | 10 mg/m ³ |
| Regulatory reference | Koninklijk besluit/Arrêté royal 02/09/2018 |
| Bulgaria - Occupational Exposure Limits | |
| Local name | Титанов диоксид |
| OEL TWA (mg/m ³) | 10 mg/m ³ (респирабилен прах) |
| Regulatory reference | Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр.73 от 4 септември 2018 г.) |
| Croatia - Occupational Exposure Limits | |
| Local name | Titanov dioksid |
| GVI (granična vrijednost izloženosti) (mg/m ³) | 10 mg/m ³ U (ukupna prašina) 4 mg/m ³ R (respirabilna prašina) |
| Regulatory reference | Pravilnik o izmjenama i dopunama Pravilnika o graničnim vrijednostima izloženosti opasnim tvarima pri radu i o biološkim graničnim vrijednostima (NN 91/2018) |
| Denmark - Occupational Exposure Limits | |
| Local name | Titandioxid |
| Grænseværdie (langvarig) (mg/m ³) | 6 mg/m ³ beregnet som Ti |
| Regulatory reference | BEK nr 655 af 31/05/2018 |
| Estonia - Occupational Exposure Limits | |
| Local name | Titaanoksiid |
| OEL TWA (mg/m ³) | 5 mg/m ³ |
| Regulatory reference | Vabariigi Valitsuse 18. septembri 2001. a määruse nr 293 (RT I, 30.11.2011, 5) |
| France - Occupational Exposure Limits | |
| Local name | Titane (dioxyde de), en Ti |
| VME (mg/m ³) | 10 mg/m ³ |
| Note (FR) | Valeurs recommandées/admises |
| Regulatory reference | Circulaire du Ministère du travail (réf.: INRS ED 984, 2016) |
| Greece - Occupational Exposure Limits | |
| Local name | Τιτανίου διοξειδίο |
| OEL TWA (mg/m ³) | 10 mg/m ³ εισπν. 5 mg/m ³ αναπν. |
| Regulatory reference | Π.Δ. 90/1999 |
| Ireland - Occupational Exposure Limits | |
| Local name | Titanium dioxide |
| OEL (8 hours ref) (mg/m ³) | 10 mg/m ³ total inhalable dust 4 mg/m ³ respirable dust |
| OEL (15 min ref) (mg/m ³) | 30 mg/m ³ (calculated-respirable dust) 12 mg/m ³ (calculated) |
| Regulatory reference | Code of Practice for the Chemical Agents Regulations 2018 |
| Latvia - Occupational Exposure Limits | |
| Local name | Titāna dioksīds |
| OEL TWA (mg/m ³) | 10 mg/m ³ |

ISOLATEK® Type WB5

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Titanium dioxide (13463-67-7) | |
|--|--|
| Regulatory reference | Ministru kabineta 2007.gada 15.maija noteikumiem Nr.325 (Grozījumi Ministru kabineta 2011.gada 1.februārī noteikumiem Nr.92) |
| Lithuania - Occupational Exposure Limits | |
| Local name | Titano dioksidas |
| IPRV (mg/m ³) | 5 mg/m ³ |
| Regulatory reference | LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-695/A1-272, 2018-06-12) |
| Poland - Occupational Exposure Limits | |
| Local name | Ditlenek tytanu |
| NDS (mg/m ³) | 10 mg/m ³ frakcja wdychalna |
| Remark (PL) | Frakcja wdychalna – frakcja aerozolu wnikająca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia. Obowiązuje jednocześnie oznaczanie stężeń frakcji respirabilnej krzemionki krystalicznej. |
| Regulatory reference | Dz. U. 2018 poz. 1286 |
| Portugal - Occupational Exposure Limits | |
| Local name | Dióxido de titânio |
| OEL TWA (mg/m ³) | 10 mg/m ³ |
| OEL chemical category (PT) | A4 - Not Classifiable as a Human Carcinogen |
| Regulatory reference | Norma Portuguesa NP 1796:2014 |
| Romania - Occupational Exposure Limits | |
| Local name | Dioxid de titan |
| OEL TWA (mg/m ³) | 10 mg/m ³ |
| OEL STEL (mg/m ³) | 15 mg/m ³ |
| Regulatory reference | Hotărârea nr. 584/2018 |
| Slovakia - Occupational Exposure Limits | |
| Local name | Oxid titaničitý |
| NPHV (priemerná) (mg/m ³) | 5 mg/m ³ |
| Regulatory reference | Nariadenie vlády č. 33/2018 Z.z. |
| Spain - Occupational Exposure Limits | |
| Local name | Dióxido de titanio |
| VLA-ED (mg/m ³) | 10 mg/m ³ |
| Regulatory reference | Límites de Exposición Profesional para Agentes Químicos en España 2019. INSHT |
| Sweden - Occupational Exposure Limits | |
| Local name | Titandioxid |
| nivågränsvärde (NVG) (mg/m ³) | 5 mg/m ³ totaldamm |
| Anmärkning (SE) | 3 (Med totaldamm menas de partiklar (aerosoler) som fastnar på ett filter i den provtagare som beskrivs i Metodserien, Provtagning av totaldamm och respirabelt damm, Metod nr 1010, Arbetskyddsstyrelsen, numera Arbetsmiljöverket. Filterdiametern är normalt 37 mm, men kan även vara 25 mm. Trots sitt namn provtas inte den totala mängden luftburna partiklar med denna metod) |
| Regulatory reference | Hygieniska gränsvärden (AFS 2018:1) |
| United Kingdom - Occupational Exposure Limits | |
| Local name | Titanium dioxide |
| WEL TWA (mg/m ³) | 4 mg/m ³ respirable 10 mg/m ³ total inhalable |
| WEL STEL (mg/m ³) | 30 mg/m ³ (calculated-total inhalable) 12 mg/m ³ (calculated-respirable) |
| Regulatory reference | EH40/2005 (Third edition, 2018). HSE |

ISOLATEK® Type WB5

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Titanium dioxide (13463-67-7) | |
|--|---|
| Iceland - Occupational Exposure Limits | |
| Local name | Títandióxið, sem Ti |
| OEL (8 hours ref) (mg/m ³) | 6 mg/m ³ |
| Regulatory reference | Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009) |
| Norway - Occupational Exposure Limits | |
| Local name | Titandioksid |
| Grænseverdir (AN) (mg/m ³) | 5 mg/m ³ |
| Grænseverdir (Korttidsverdi) (mg/m ³) | 10 mg/m ³ (value calculated) |
| Regulatory reference | FOR-2018-08-21-1255 |
| USA - ACGIH - Occupational Exposure Limits | |
| Local name | Titanium dioxide |
| ACGIH TWA (mg/m ³) | 10 mg/m ³ |
| Remark (ACGIH) | TLV® Basis: LRT irr. Notations: A4 (Not classifiable as a Human Carcinogen) |
| ACGIH chemical category | Not Classifiable as a Human Carcinogen |
| Regulatory reference | ACGIH 2019 |
| Pentaerythritol (115-77-5) | |
| Belgium - Occupational Exposure Limits | |
| Local name | Pentaérythritol # Penta-erythritol |
| Limit value (mg/m ³) | 10 mg/m ³ |
| Regulatory reference | Koninklijk besluit/Arrêté royal 02/09/2018 |
| Croatia - Occupational Exposure Limits | |
| Local name | Pentaeritritol |
| GVI (granična vrijednost izloženosti) (mg/m ³) | 10 mg/m ³ (total dust, inhalable particles) 4 mg/m ³ (respirable dust) |
| KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m ³) | 20 mg/m ³ |
| Regulatory reference | Pravilnik o izmjenama i dopunama Pravilnika o graničnim vrijednostima izloženosti opasnim tvarima pri radu i o biološkim graničnim vrijednostima (NN 91/2018) |
| Finland - Occupational Exposure Limits | |
| Local name | Pentaerytritoli |
| HTP-arvo (8h) (mg/m ³) | 10 mg/m ³ |
| HTP-arvo (15 min) | 20 mg/m ³ |
| Regulatory reference | HTP-ARVOT 2018 (Sosiaali- ja terveysministeriö) |
| France - Occupational Exposure Limits | |
| Local name | Pentaérythritol |
| VME (mg/m ³) | 10 mg/m ³ |
| Note (FR) | Valeurs recommandées/admises |
| Regulatory reference | Circulaire du Ministère du travail (réf.: INRS ED 984, 2016) |
| Greece - Occupational Exposure Limits | |
| Local name | Πενταερυθριτόλη |
| OEL TWA (mg/m ³) | 10 mg/m ³ (inhalable fraction) 5 mg/m ³ (respirable fraction) |
| Regulatory reference | Π.Δ. 90/1999 |
| Ireland - Occupational Exposure Limits | |
| Local name | Pentaerythritol |

ISOLATEK® Type WB5

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Pentaerythritol (115-77-5) | |
|--|--|
| OEL (8 hours ref) (mg/m ³) | 10 mg/m ³ (total inhalable dust) 4 mg/m ³ (respirable dust) |
| OEL (15 min ref) (mg/m ³) | 20 mg/m ³ |
| Regulatory reference | Code of Practice for the Chemical Agents Regulations 2018 |
| Lithuania - Occupational Exposure Limits | |
| Local name | Pentaeritrolis |
| IPRV (mg/m ³) | 5 mg/m ³ |
| Regulatory reference | LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-695/A1-272, 2018-06-12) |
| Portugal - Occupational Exposure Limits | |
| Local name | Pentaeritritol (Pentacritical) |
| OEL TWA (mg/m ³) | 10 mg/m ³ |
| Regulatory reference | Norma Portuguesa NP 1796:2014 |
| Spain - Occupational Exposure Limits | |
| Local name | Pentaeritritol |
| VLA-ED (mg/m ³) | 10 mg/m ³ (inhalable fraction) 4 mg/m ³ (respirable fraction) |
| Notes | d (Véase UNE EN 481: Atmósferas en los puestos de trabajo. Definición de las fracciones por el tamaño de las partículas para la medición de aerosoles). |
| Regulatory reference | Límites de Exposición Profesional para Agentes Químicos en España 2019. INSHT |
| Sweden - Occupational Exposure Limits | |
| Local name | Pentaerytritol |
| nivågränsvärde (NVG) (mg/m ³) | 5 mg/m ³ (total dust) |
| Anmärkning (SE) | 3 (Med totaldamm menas de partiklar (aerosoler) som fastnar på ett filter i den provtagare som beskrivs i Metodserien, Provtagning av totaldamm och respirabelt damm, Metod nr 1010, Arbetarskyddsstyrelsen, numera Arbetsmiljöverket. Filterdiametern är normalt 37 mm, men kan även vara 25 mm. Trots sitt namn provtas inte den totala mängden luftburna partiklar med denna metod) |
| Regulatory reference | Hygieniska gränsvärden (AFS 2018:1) |
| United Kingdom - Occupational Exposure Limits | |
| Local name | Pentaerythritol |
| WEL TWA (mg/m ³) | 10 mg/m ³ (inhalable dust) 4 mg/m ³ (respirable dust) |
| WEL STEL (mg/m ³) | 20 mg/m ³ (inhalable dust) 12 mg/m ³ (calculated-respirable dust) |
| Regulatory reference | EH40/2005 (Third edition, 2018). HSE |
| USA - ACGIH - Occupational Exposure Limits | |
| Local name | Pentaerythritol |
| ACGIH TWA (mg/m ³) | 10 mg/m ³ |
| Remark (ACGIH) | TLV® Basis: GI irr |
| Regulatory reference | ACGIH 2019 |
| Melamine (108-78-1) | |
| Lithuania - Occupational Exposure Limits | |
| IPRV (mg/m ³) | 0.5 mg/m ³ (source uses CAS 9003-08-1) |
| Glass, oxide, chemicals (65997-17-3) | |
| Belgium - Occupational Exposure Limits | |
| Limit value (mg/m ³) | 10 mg/m ³ (dust and fiber) |

ISOLATEK® Type WB5

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|---|--|
| Glass, oxide, chemicals (65997-17-3) | |
| Finland - Occupational Exposure Limits | |
| | |
| HTP-arvo (8h) (mg/m ³) | 5 mg/m ³ Continuous filament glass fibers (inhalable dust) |
| White mineral oil, petroleum (8042-47-5) | |
| Belgium - Occupational Exposure Limits | |
| Limit value (mg/m ³) | 5 mg/m ³ |
| Short time value (mg/m ³) | 10 mg/m ³ |
| Bulgaria - Occupational Exposure Limits | |
| OEL TWA (mg/m ³) | 5 mg/m ³ |
| Czech Republic - Occupational Exposure Limits | |
| Expoziční limity (PEL) (mg/m ³) | 5 mg/m ³ |
| Expoziční limity (NPK-P) (mg/m ³) | 10 mg/m ³ |
| Denmark - Occupational Exposure Limits | |
| Grænseværdie (langvarig) (mg/m ³) | 1 mg/m ³ |
| Finland - Occupational Exposure Limits | |
| HTP-arvo (8h) (mg/m ³) | 5 mg/m ³ |
| Germany - Occupational Exposure Limits (TRGS 900) | |
| TRGS 900 Local name | Weißes Mineralöl (Erdöl) |
| TRGS 900 Occupational exposure limit value (mg/m ³) | 5 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-respirable fraction) |
| TRGS 900 Limitation of exposure peaks | 4(II) |
| TRGS 900 Remark | DFG;Y |
| TRGS 900 Regulatory reference | TRGS900 |
| Greece - Occupational Exposure Limits | |
| OEL TWA (mg/m ³) | 5 mg/m ³ |
| Hungary - Occupational Exposure Limits | |
| AK-érték | 5 mg/m ³ |
| Ireland - Occupational Exposure Limits | |
| OEL (8 hours ref) (mg/m ³) | 5 mg/m ³ |
| Latvia - Occupational Exposure Limits | |
| OEL TWA (mg/m ³) | 5 mg/m ³ |
| Lithuania - Occupational Exposure Limits | |
| IPRV (mg/m ³) | 1 mg/m ³ |
| TPRV (mg/m ³) | 3 mg/m ³ |
| Netherlands - Occupational Exposure Limits | |
| Grenswaarde TGG 8H (mg/m ³) | 5 mg/m ³ |
| Poland - Occupational Exposure Limits | |
| NDS (mg/m ³) | 5 mg/m ³ |
| Romania - Occupational Exposure Limits | |
| OEL TWA (mg/m ³) | 5 mg/m ³ |
| OEL STEL (mg/m ³) | 10 mg/m ³ |
| Slovakia - Occupational Exposure Limits | |
| NPHV (priemerná) (mg/m ³) | 1 mg/m ³ |
| NPHV (priemerná) (ppm) | 5 ppm |

ISOLATEK® Type WB5

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| White mineral oil, petroleum (8042-47-5) | |
|--|----------------------|
| NPHV (Hraničná) (mg/m ³) | 3 mg/m ³ |
| NPHV (Hraničná) (ppm) | 15 ppm |
| Spain - Occupational Exposure Limits | |
| VLA-ED (mg/m ³) | 5 mg/m ³ |
| VLA-EC (mg/m ³) | 10 mg/m ³ |
| Sweden - Occupational Exposure Limits | |
| nivågränsvärde (NVG) (mg/m ³) | 1 mg/m ³ |
| kortidsvärde (KTV) (mg/m ³) | 3 mg/m ³ |
| USA - ACGIH - Occupational Exposure Limits | |
| ACGIH TWA (mg/m ³) | 5 mg/m ³ |
| ACGIH STEL (mg/m ³) | 10 mg/m ³ |

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

Gloves. Safety glasses. Insufficient ventilation: wear respiratory protection.

Hand protection:

Impermeable protective gloves. EN 374

Eye protection:

Chemical goggles or safety glasses. EN 166

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--|---------------------|
| Physical state | : Liquid |
| Appearance | : Viscous. Paste. |
| Colour | : White. |
| Odour | : Characteristic. |
| Odour threshold | : No data available |
| pH | : 8 |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : 0 °C |
| Freezing point | : No data available |
| Boiling point | : 100 °C |
| Flash point | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : Not applicable |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available |

ISOLATEK® Type WB5

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|----------------------|--------------------------|
| Relative density | : No data available |
| Density | : 1.32 g/cm ³ |
| Solubility | : No data available |
| Log Pow | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | |
|-----------------------------------|--|
| Acute toxicity (oral) | : Not classified (Based on available data, the classification criteria are not met) |
| Acute toxicity (dermal) | : Not classified (Based on available data, the classification criteria are not met) |
| Acute toxicity (inhalation) | : Not classified (Based on available data, the classification criteria are not met) |
| Skin corrosion/irritation | : Not classified (Based on available data, the classification criteria are not met) pH: 8 |
| Serious eye damage/irritation | : Not classified (Based on available data, the classification criteria are not met) pH: 8 |
| Respiratory or skin sensitisation | : Not classified (Based on available data, the classification criteria are not met) |
| Germ cell mutagenicity | : Not classified (Based on available data, the classification criteria are not met) |
| Carcinogenicity | : Not classified (Based on available data, the classification criteria are not met) |

Melamine (108-78-1)

| | |
|------------|--------------------------------------|
| IARC group | 2B - Possibly carcinogenic to humans |
|------------|--------------------------------------|

| | |
|------------------------|---|
| Reproductive toxicity | : Not classified (Based on available data, the classification criteria are not met) |
| STOT-single exposure | : Not classified (Based on available data, the classification criteria are not met) |
| STOT-repeated exposure | : Not classified (Based on available data, the classification criteria are not met) |
| Aspiration hazard | : Not classified (Based on available data, the classification criteria are not met) |
| Other information | : Likely routes of exposure: ingestion, inhalation, skin and eye. |

SECTION 12: Ecological information

12.1. Toxicity

| | |
|---|---|
| Ecology - general | : This material has not been tested for environmental effects. |
| Hazardous to the aquatic environment, short-term (acute) | : Not classified (Based on available data, the classification criteria are not met) |
| Hazardous to the aquatic environment, long-term (chronic) | : Not classified (Based on available data, the classification criteria are not met) |

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

ISOLATEK® Type WB5

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

| ADR | IMDG | IATA | ADN | RID |
|---|---------------|---------------|---------------|---------------|
| 14.1. UN number | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.2. UN proper shipping name | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.3. Transport hazard class(es) | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.4. Packing group | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.5. Environmental hazards | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| No supplementary information available | | | | |

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany

Reference to AwSV

: Water hazard class (WGK) 3, Highly hazardous to water (Classification according to AwSV, Annex 1)

WGK remark

: Most stringent classification due to insufficient data

ISOLATEK® Type WB5

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed
SZW-lijst van mutagene stoffen : None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Other information : None.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.